

From: Zeno, Denise  
To: Metz, Chloe; Sivak, Michael; Carpenter, Angela  
Cc: Ofrane, Rebecca; Hauptman, Mel  
Subject: RE: Cabo Rojo VI Assessment  
Date: Tuesday, May 14, 2013 7:08:17 AM

We only sampled the HS adjacent to Extasy Q Print Shop (one of the potential PRPs) No other source areas were sampled this time around.

From: Metz, Chloe  
Sent: Friday, May 10, 2013 9:39 AM  
To: Zeno, Denise; Sivak, Michael; Carpenter, Angela  
Cc: Ofrane, Rebecca; Hauptman, Mel  
Subject: RE: Cabo Rojo VI Assessment

Denise,

Just to clarify, the print shop next to the current Santa Maria HS is one of the PRP sites, correct? I assume the other three PRP sites were not sampled this time around since I didn't see any other high subslab results. Could you confirm?

Thanks!  
Chloe

Chloe Metz  
Chief, Technical Support Section  
Emergency and Remedial Response Division  
US EPA, Region 2  
290 Broadway, 18th Floor  
New York, NY 10007

212.637.3955 (desk)  
212.637.4439 (fax)

From: Zeno, Denise  
Sent: Thursday, May 09, 2013 5:17 PM  
To: Metz, Chloe; Sivak, Michael; Carpenter, Angela  
Cc: Ofrane, Rebecca; Hauptman, Mel  
Subject: RE: Cabo Rojo VI Assessment

Thanks for the VI assessment!

In regards to the environmental controls, we haven't heard back from Nick's group. As mentioned before, last year the removal folks were talking about putting some kind of environmental controls (e.g., owners to install mitigation system before renting) at the 4 potential PRP sites where we found high PCE/TCE concentrations in the subslabs samples.

Denise

From: Metz, Chloe  
Sent: Thursday, May 09, 2013 4:18 PM  
To: Sivak, Michael; Carpenter, Angela  
Cc: Zeno, Denise; Ofrane, Rebecca; Hauptman, Mel  
Subject: Cabo Rojo VI Assessment  
Michael and Angela,

In Becky's absence, I reviewed the validated VI data for Cabo Rojo. The final results didn't change between the unvalidated and validated, so her initial assessment that there wasn't an issue still stands (not sure if you saw that). As was found last year, PCE and TCE concentrations in the subslab beneath the Santa Maria Head Start (sample location EQP) remain high (3500 ug/m<sup>3</sup> for PCE and 110 ug/m<sup>3</sup> for TCE are the highest). However, the indoor air remains below levels of concern. The school is scheduled to move to a new building shortly (sample location RO). The subslab at the new building shows nothing of concern. The other Head Start that was sampled (Santa Rita, sample location SRHS) also shows nothing of concern in the subslab or indoor air. My recommendation would be to base future subslab sampling at the (soon to be former) Santa Maria space on whatever moves in there. If it remains vacant, then there would be no need to do regular sampling. If it becomes occupied, we may need to monitor the subslab on some sort of regular basis (annually, semi-annually?). Denise is looking into what the future use of the space will be.

Denise, please feel free to add anything I may have left out. Let me know if you have any questions or concerns with my recommendation.

Thanks!  
Chloe

Chloe Metz  
Chief, Technical Support Section  
Emergency and Remedial Response Division  
US EPA, Region 2  
290 Broadway, 18th Floor  
New York, NY 10007

212.637.3955 (desk)  
212.637.4439 (fax)

From: Mishkin, Katherine  
Sent: Monday, April 29, 2013 11:44 AM  
To: Metz, Chloe  
Cc: Filipowicz, Urszula  
Subject: FW: Cabo Draft

Is this Ula (see below)?

From: Zeno, Denise  
Sent: Monday, April 29, 2013 11:33 AM  
To: Mishkin, Katherine  
Subject: FW: Cabo Draft

do you know who is taking over Becky's workload?

From: Catanzarita, Jeff  
Sent: Friday, April 26, 2013 7:34 PM  
To: Zeno, Denise  
Cc: philip.j.solnisk@lmco.com <<mailto:philip.j.solnisk@lmco.com>>; Ofrane, Rebecca  
Subject: FW: Cabo Draft  
Hi Denise,

Please review and comment if need be. Should I not receive comments by COB on May2nd, I'll assume we can finalize it.

Thank you,

Jeff M. Catanzarita  
Environmental Engineer

Tel: 732.906.6929  
Cell: 609-865-0002  
FAX: 732.321.6724

=====attachment.ashx?  
id=RgAAAAOzOIL%2F93fQrTOWbqZLQOmBwBCeA5fNkbHQLCRsgMbxvMAAAAg8EAAABcA5fNkbHQLCRsgMbxvMAAANKOoGAAAJ&attcnt=1&attid0=EADh%2b75C1UuRqUZLm3cmtsW&attcid0=Image001.jpg%4001CE42B4.B898EF20>  
<attachment.ashx?id=RgAAAAOzOIL%2F93fQrTOWbqZLQOmBwBCeA5fNkbHQLCRsgMbxvMAAAAg8EAAABcA5fNkbHQLCRsgMbxvMAAANKOoGAAAJ&attcnt=1&attid0=EADh%2b75C1UuRqUZLm3cmtsW&attcid0=Image001.jpg%4001CE42B4.B898EF20>  
"The various modes of worship which prevailed in the Roman world were all considered <attachment.ashx?  
id=RgAAAAOzOIL%2F93fQrTOWbqZLQOmBwBCeA5fNkbHQLCRsgMbxvMAAAAg8EAAABcA5fNkbHQLCRsgMbxvMAAANKOoGAAAJ&attcnt=1&attid0=EADh%2b75C1UuRqUZLm3cmtsW&attcid0=Image001.jpg%4001CE42B4.B898EF20>  
by the people as equally true, by the philosopher as equally false, and by the magistrate as equally useful." <attachment.ashx?  
id=RgAAAAOzOIL%2F93fQrTOWbqZLQOmBwBCeA5fNkbHQLCRsgMbxvMAAAAg8EAAABcA5fNkbHQLCRsgMbxvMAAANKOoGAAAJ&attcnt=1&attid0=EADh%2b75C1UuRqUZLm3cmtsW&attcid0=Image001.jpg%4001CE42B4.B898EF20>  
<attachment.ashx?id=RgAAAAOzOIL%2F93fQrTOWbqZLQOmBwBCeA5fNkbHQLCRsgMbxvMAAAAg8EAAABcA5fNkbHQLCRsgMbxvMAAANKOoGAAAJ&attcnt=1&attid0=EADh%2b75C1UuRqUZLm3cmtsW&attcid0=Image001.jpg%4001CE42B4.B898EF20>  
Edward Gibbon-attachment.ashx?  
id=RgAAAAOzOIL%2F93fQrTOWbqZLQOmBwBCeA5fNkbHQLCRsgMbxvMAAAAg8EAAABcA5fNkbHQLCRsgMbxvMAAANKOoGAAAJ&attcnt=1&attid0=EADh%2b75C1UuRqUZLm3cmtsW&attcid0=Image001.jpg%4001CE42B4.B898EF20>  
<attachment.ashx?id=RgAAAAOzOIL%2F93fQrTOWbqZLQOmBwBCeA5fNkbHQLCRsgMbxvMAAAAg8EAAABcA5fNkbHQLCRsgMbxvMAAANKOoGAAAJ&attcnt=1&attid0=EADh%2b75C1UuRqUZLm3cmtsW&attcid0=Image001.jpg%4001CE42B4.B898EF20>  
From: Solnisk, Philip J | <attachment.ashx?  
id=RgAAAAOzOIL%2F93fQrTOWbqZLQOmBwBCeA5fNkbHQLCRsgMbxvMAAAAg8EAAABcA5fNkbHQLCRsgMbxvMAAANKOoGAAAJ&attcnt=1&attid0=EADh%2b75C1UuRqUZLm3cmtsW&attcid0=Image001.jpg%4001CE42B4.B898EF20>  
|  
Sent: Friday, April 26, 2013 3:41 PM  
To: Catanzarita, Jeff  
Subject: Cabo Draft

Is attached. Let me know if you have any questions.